

Health Monitoring Report

Issue Date:4/8/2025

Company

Oslo University

Supplier Building

ALL

Supplier Area

ALL

Room

ALL

Rack

923/E06

Historical Data Date Range

Past 18 months

Species

RAT

Strain

ALL

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Bacteria, Mycoplasma and Fungi						
Clostridium piliforme	-	3/24/2025	0/1	IDEXX	SERO	0/1
Helicobacter bilis	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter ganmani	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter hepaticus	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter mastomyrinus	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter rodentium	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter spp.	-	3/24/2025	0/1	IDEXX	PCR	0/1
Helicobacter typhlonius	-	3/24/2025	0/1	IDEXX	PCR	0/1
Mycoplasma pulmonis	-	3/24/2025	0/1	IDEXX	SERO	0/1
Rodentibacter heylii	-	3/24/2025	0/1	IDEXX	PCR	0/1
Rodentibacter pneumotropicus	-	3/24/2025	0/1	IDEXX	PCR	0/1
Streptococcus pneumoniae	-	3/24/2025	0/1	IDEXX	PCR	0/1
Streptococcus sp. beta hemolytic Group A	-	3/24/2025	0/1	IDEXX	PCR	0/1
Streptococcus sp. beta hemolytic Group B	-	3/24/2025	0/1	IDEXX	PCR	0/1
Streptococcus sp. beta hemolytic Group C	-	3/24/2025	0/1	IDEXX	PCR	0/1
Streptococcus sp. beta hemolytic Group G	-	3/24/2025	0/1	IDEXX	PCR	0/1
Parasites and Protozoa						
Aspicularis tetraptera	-	3/24/2025	0/1	IDEXX	PCR	0/1
Cryptosporidium spp.	-	3/24/2025	0/1	IDEXX	PCR	0/1
Eimeria spp.	-	3/24/2025	0/1	IDEXX	PCR	0/1
Entamoeba muris	-	3/24/2025	0/1	IDEXX	PCR	0/1
Giardia muris	-	3/24/2025	0/1	IDEXX	PCR	0/1
Myocoptes	-	3/24/2025	0/1	IDEXX	PCR	0/1
Radfordia/Myobia	-	3/24/2025	0/1	IDEXX	PCR	0/1
Spiroplasma muris	-	3/24/2025	0/1	IDEXX	PCR	0/1
Syphacia muris	-	3/24/2025	0/1	IDEXX	PCR	0/1
Syphacia obvelata	-	3/24/2025	0/1	IDEXX	PCR	0/1
Trichomonas muris	-	3/24/2025	0/1	IDEXX	PCR	0/1
Viruses						
H1	-	3/24/2025	0/1	IDEXX	SERO	0/1
KRV	-	3/24/2025	0/1	IDEXX	SERO	0/1
PVM	-	3/24/2025	0/1	IDEXX	SERO	0/1
RCV/SDAV	-	3/24/2025	0/1	IDEXX	SERO	0/1
RMV	-	3/24/2025	0/1	IDEXX	SERO	0/1
RPV	-	3/24/2025	0/1	IDEXX	SERO	0/1
RTV	-	3/24/2025	0/1	IDEXX	SERO	0/1